



PROFESSIONAL AUTO DETAILING PRODUCT

CATALOGUE





CONTENTS

PROFESSIONAL SERIES

Orange Peel Leveling System	.5
Surface Correction6	-7
All-In-One (Polish/Wax)	. 8
Surface Protection9-:	10
SOLUTIONS	
Cleaners13-:	15
Dressings16-:	17
Other Solutions	18
COATZ21-:	22
PADS & BACKING PLATES	
Leveling Pads	25
Wool and Microfibre Pads	26
DA Pads27-2	28
Rotary Foam Pads	29
Other Pads	30
Backing Plates31-3	32
TOOLS & ACCESSORIES	
Power Tools35-3	36
Detailing Lights	37
Clay:	38
Towels	40
Miscellaneous41	44
INDUSTRIAL HAND GEL4	45




To receive updates on happenings, follow our Facebook page @ www.facebook.com/osrenmalaysia



To watch our videos on detailing tips, techniques and how-tos, subscribe to our YouTube channel @ www.youtube.com/osrencarcare



www.osren.com





OSREN Professional Series consists of surface preparation & protection products which are engineered for professional detailers, factory body & paint technicians and detailing enthusiast. Whether you're looking for paint cleaners, aggressive compounds, nano fine polishes, waxes or sealants, we have it all here.

ORANGE PEEL LEVELING SYSTEM





NAO LEVELER 56

WATERBASED LEVELER

OSREN's NAO Leveler 56 is a unique abrasive that effectively removes orange peel and other heavy defects on paintwork. Formulated with clear-coat softeners and nanomized aluminium oxides abrasive, Nao Leveler 56 is capable of producing high-gloss without imparting heavy defects on paintwork.

Cut Level	12/10
Gloss Level	7/10
Part No. & Size	C-NL-156 (1Kg) C-NC-0456 (400g)



PERFECT FIFTY

OSREN Perfect Fifty is an aggressive rubbing compound designed to level orange peel without sanding for the absolute show car shine. Also engineered to remove tough paint defects such as dust nibs, overspray and P1200 or finer sanding marks.

Cut Level	12/10
Gloss Level	4/10
Part No. & Size	C-FDC-150 (1Kg)
	C-FDC-450 (4Kg)
	C-FDC-0450 (400g)

N.A.O. ABRASIVES

(NANDMIZED ALUMINIUM DXIDES)

N.A.O. Abrasives uses raw aluminium oxide that is chemically and mechanically refined to be molecularly smaller and sharper than its original size. N.A.O. Abrasives abrade more than standard Aluminium Oxides yet leaving behind an absolute fine finishing.



NAO QUICK CUT 48

OSREN's NAO Quick Cut 48 is waterbased rapid-cutting compound that is designed to remove defects rapidly without imparting heavy compounding marks on paintwork. NAO Quick Cut 48 can be paired with wool, microfibre or any cutting pad to remove deep swirls, scratches etchings, oxidation and other tough defects.

Cut Level	11/10
Gloss Level	7.5/10
Part No. & Size	C-NQC-148 (1L) C-NQC-0348 (300ml)




NAO COMPOUND 46

Engineered with N.A.O. Abrasives for rapid

Engineered with N.A.O Abrasives for rapid cutting and absolute finishing! OSREN NAO Compound is a waterbased high cutting compound that easily removes deep swirls, scratches etchings, oxidation and other tough defects.

Cut Level	9.5/10
Gloss Level	8/10
Part No. & Size	C-NC-446 (4L)
	C-NC-146 (1L)
	-DC-0346 (300ml)



NAO POLISH 36

WATERBASED POLISH

NAO Engineered polish designed to refine light swirls and holograms. A nano fine polish that eliminates what's left behind by the compounding step.

NAO GLAZE 26

WATERBASED GLAZE

NAO Engineered glaze designed to remove hairline imperfections and blemishes for the absolute glossy finish just before waxing or coating.

PERFECT CUT 20

LIGHT CUT GLAZE

Engineered to remove swirls, marring and holograms on soft and sticky paint. A versatile abrasive that's capable of compounding and polishing away defects.







Cut Level	9/10
Gloss Level	9/10
5	C ND 425 (41)

C-NP-436 (4L) C-NP-136 (1L) C-NP-0336 (300ml)

Cut Level	2/10
Gloss Level	10/10

Cut Level	3/10
Gloss Level	9/10

Part No. & Size C-PC(2.0)-162 (1L) C-PC-0362 (300ml)





PAINT RESTORER 51


ALL-IN-ONE POLISH

OSREN Paint Restorer 51 is a versatile all-in-one polish that's pad dependent. You can pair it with wool pad for relatively aggressive cutting or you can also pair it with a soft foam for mild paint cleaning.

A product that contains micro fine abrasives that removes light swirls and marring. It also contains cleaning solvents that cleans stubborn stains and blemishes, plus it leaves behind a layer of wax that adds to slickness, hydrophobicity and gloss. Get all these in a single step.

Cleaning Power	9/10
Gloss Level	8/10
Part No. & Size	C-PR-451 (4L)
	C-PR-151 (1L)
	C-PR-0351 (300ml)









RADIANT COAT 12

What's the best way to lock in that swirl free finish that you've spent hours to detail? OSREN Radiant Coat is a Polymer based coating that coats the finish of your car. It not only seals it up but also creates a rich, glossy and hydrophobic layer that keeps the paint looking like new wash after wash.

Cleaning Level	1/10
Gloss Level	12/10
Part No. & Size	C-RC-112-2 (1L)
	C-RC-0312 (300ml)



CRYSTAL BLOCK SYNERGIZED

INNOVATION OF WAX SYNERGY

Years of research and prototyping to fuse natural waxes with synthetic resins together has lead us to develop SYNERGIZED, a whole new level of car wax, designed entirely to enhance and protect your car's paintwork. In SYNERGIZED, you'll get a sleek, high-gloss finish from the natural wax while the synthetic resins will give you more protection by prolonging its bond onto the paintwork.

Part No. & Size

C-SW-800 (220g)



CRYSTAL BLOCK EMERALD CLASSIC AUTO HARD WAX



Part No. & Size: C-CE-500 (220g)

SYNTHETIC SEALANT AUTO HARD SEALANT



Part No. & Size: C-CS-600 (220g)







BUBBLE & WAX

The Key to maintaining that just waxed car is using a good dedicated automotive shampoo. Unlike many household detergents which clean but strip wax and dulls the finish of your car. OSREN's Bubble & Wax car shampoo is a unique blend of cleaning agents and gloss enhancers which gently washes away dirt, grime and traffic film while leaving behind a "wet-look" after-wash shine.

Dilution	up to 1:100
Part No. & Size	C-BW-400 (4L)
	C-BW-2006 (20L)



NANO WASH

Basic yet ultra concentrated pH neutral car shampoo that does what it does - clean, without harming the paint, coating or waxed finish. OSREN's Nano Wash shampoo is designed to quickly and reliably encapsulate dirt and grime off your vehicle so you can clean without dulling the paint while keeping its original gloss.

Dilution	up to 1:400
Part No. & Size	C-NW-490 (4L)
	C-NW-2090 (20L)



BRAKE DUST CLEANER

OSREN Brake Dust Cleaner, engineered with unique iron particle remover, is a pH balanced cleaner suitable for all types of wheels. It reacts and dissolve brake dust, turning them purplish pink and dislodges effortlessly with a rinse of water. OSREN Brake Dust Cleaner is the easier, faster and safer way to clean your wheels!



DEGREASER FX

Unlike harsh soda based degreasers which bleaches the surface, OSREN's Degreaser FX is engineered to clean the toughest grease effectively and is easily rinsed off reducing streaking and discoloration. It also comes in a mild citrus fragrance to provide better working environment for technicians and car owners.



TAR SPOTS REMOVER

Tar spots are very adhesive and may etch or stain paint finishes if left untreated. OSREN Tar Spots Remover dissolves road tar on paintwork, plastics and metals easily. Just spray, dissolve and wipe clean. OSREN Tar Spots Remover can also be used to remove glue or adhesive residue, grease and also oil stains.

Part No. & Size C-TSR-133 (1L) C-TSR-433 (4L)






















HYDRO CERAMIC SHIELD

Hydro Ceramic Shield is a sprayable ceramic-based sealant that enhances and protects your car. Contains ceramic resins that reforms into ceramic polymer; synthesizing a layer of an invisible shield on the surface. Formulated to increase gloss and dust repellency on surfaces, it outpaces traditional wax in terms of durability and applicability.

Dilution	up to 1:4	
Part No. & Size	C-HCS-199 (1L)	



WATER COATING

OSREN's Water Coating is a unique blend of semi-concentrated substances that reconditions paintwork by layering atop of any last-step products or as a standalone sealant. A simple spray and rinse solution to increase hydrophobicity and dirt repellency on paint.

Dilution	up to 1:4
Part No. & Size	C-WC-489 (4L)



REBLACK

CONDITIONS AND PROTECTS EXTERIOR TRIMS, BUMPERS AND TIRES

OSREN Reblack is specially formulated to enhance the appearance of old and faded exterior rubber trims and non-painted plastic components.









TIRE SHINE

A well detailed ride is not complete if the tires are stained and dull. OSREN Tire Shine (LV) revitalizes the look with premium grade polymers and protectants, producing a high-gloss shine and keeps tires looking like new. A must use to complement a clean and shinny ride.



Part No. & Size	Model:
C-TS-455 (4L) / C-TS-1855 (18L	TIRE SHINE (LV)
C-TS-2035 (201	TIRE SHINE (LV3.5)
C-TS-457 (4L) / C-TS-1857 (18L	TIRE SHINE (HV)
C-TS-459 (4L) / C-TS-2059 (20L	TIRE SHINE (HV3)
C-TS-2054 (20L	TIRE SHINE (HV3.5)
C-TS-2064 (20L	TIRE SHINE (HV4)



HYDRO bacteria & odor EXTERMINATOR 67 Lab tested and proven lest report available upon reques 60ml e

BACTERIA & ODOR EXTERMINATOR

In OSREN, we don't only keep your car clean but also the air that you breathe in too! Study shows that Benzalkonium Chloride and Glycols are safe and highly effective air disinfectants when vaporized in a car's interior. OSREN Bacteria & Odor Exterminator kills bacteria and nullifies odor to give you a fresher, healthier driving experience.

Options:	Part No. & Size:
Lemon (Hydro)	C-HBOE-067L (60ml) / C-HBOE-467L (4L)
Apple (Hydro)	C-HBOE-067A (60ml) / C-HBOE-467A (4L)
Lemon**	C-BOE-0366 (60ml) / C-BOE-010366 (1L)
Apple**	C-BOE-0366A (60ml) / C-BOE-010366A (1L)
Menthol**	C-BOE-0366M (60ml) / C-BOE-010366M (1L)

**Use with FOG MACHINE (See page 36 for product information)









CONTROL OF THE CONTRO





ABSOLUTE PAINTWORK

Engineered with inorganic glass compositions, otherwise known as silicone dioxides (Sio2), that creates a crystallized coat over the paintwork for the absolute paint enhancement. OSREN Coatz 01 Absolute Paintwork Coating enhances painted surfaces and plastics with a deep rich gloss that lasts extremely long. It also gives a turbo-like water repelling effect due to its intense hydrophobicity, allowing cars to be cleaned and maintain that gallery finish easily.

Hardness	Pencil Hardness 6H
Active Composition	70%
Water Beading Angle	>90 Degree
Part No. & Size	C-APC-01-30 (30ml)

*Eco-friendly (VOC-free)

OSREN COATZ

ABSOLUTE PAINTWORK COATING


Coats paintwork with inorganic glass composition for absolute protection

Made in Japan


























DENIM LEVELING FOAM

Denim leveling foam is made of denim which are hard, flat and less pores material to hold most of the abrasives on the surface and level away orange peel as well as other deeper paint defects.

Material	Denim
Attachment	Hook & Loop
Cut Level	12
Part No. & Size	CH-B03-J90 (140 x 6mm)
	CH-J90#83x6 (83 x 6mm)
	CH-J80#55X6 (55 x 6mm)
	CH-J80#36X6 (36 x 6mm)
	CH-J80#20x6 (20 x 6mm)

VELVET LEVELING FOAM

Velvet leveling foam is made of corduroy which are similar to denim but slightly softer to cater for soft/sticky OEM paint. The polishing abrasives will be held onto the pad's surface and level away orange peel as well as other deeper defects.


Material	Velvet
Attachment	Hook & Loop
Cut Level	10
Part No. & Size	CH-B03-V80 (140 x 6mm)
	CH-V80#83x6 (83 x 6mm)
	CH-V80#55X6 (55 x 6mm)
	CH-V80#36x6 (36 x 6mm)
	CH-V80#20x6 (20 x 6mm)





MICROFIBRE

PADS





BLUE NANO WOOL

Made with a hybrid blend of both foam and wool through a patented nanofoam process, the Blue Nano Wool is capable of maintaining its consistency in performance, and outlast natural sheepskin pads. It is capable of removing swirls and heavy defects, while greatly reduces compound hazing and temperature on paintwork.

Material	Blue Synthetic Wool
Attachment	Hook & Loop
Cut Level	7
Part No. & Size	L-HYB-140 (140mm)
	L-HYB-80-1 (80mm)





Part No. & Size: **L41-125** (190mm) **L41-125A** (165mm) **L41-003** (75mm)

PURPLE NANO WOOL



Part No. & Size: L58-4265 (165mm) L58-4255-1WH (140mm) L58-3235 (80mm)

B/W CUTTING MICROFIBRE DISC



Part No. & Size: L-MF-525CUT (140mm) L-MF-325CUT (80mm) L-MF-225CUT (57mm) L-MF-150CUT (38mm)

LOW PROFILE HYBRID DA FOAM PADS These pads are engineered with foams that are more rigid, firm and dense to maintain it's structural integrity during buffing (no loss of cutting) with a Dual Action Polisher. It's thin design also allows for smoother handling and buffing feel.

GREY CUTTING FOAM DISC

Designed to work with compounds to remove etchings, scratches and swirls.

Color	Light Gray
Attachme	nt Hook & Loop
Cut Level	6.5
Part No.	L76-78550G-130 (140mm) L76-78350G-76 (90mm)

WHITE POLISHING FOAM DISC

NORMAL DA FOAM PADS

VS

HYBRID DA FOAM PADS

-Collapsed

- Maintain

Designed to work with polishes or AIOs to remove light swirls and blemishes.

Color	White
Attachmen	t Hook & Loop
Cut Level	4
Part No.	L76-68550-130 (140mm) L76-68350-76MM (90mm)

BLACK FINISHING FOAM DISC


Designed to work with glazes to remove holograms and also applying waxes or sealants.


Color	Black
Attachmer	t Hook & Loop
Cut Level	2
Part No.	L76-78550-130 (140mm) L76-78350-76MM (90mm)

















MAROON CUTTING FOAM

Coarse reticulated foam used for compounding and paint cleaning to remove oxidations, stubborn stains and scratches.

Color	Maroon
Attachment	Hook & Loop
Cut Level	6
Part No. & Size	FCC-MSA150C (150mm) CH-C51090 (95mm) CH-FP2''(M) (60mm)



NAVY POLISHING FOAM

Medium non-reticulated dense foam used for polishing to remove machine swirls and other moderate paint defects.

Color	Navy
Attachment	Hook & Loop
Cut Level	5
Part No. & Size	FCC-MSA150P (150mm)



BLACK FINISHING FOAM

Soft reticulated foam used of finishing to remove holograms and other light imperfections.

Color	Black
Attachment	Hook & Loop
Cut Level	2
Part No. & Size	FCC-MSA150F (150mm) CH-C73090 (95mm) CH-FP2"(BLK) (60mm)

DENIM PAD

OSREN's Denim Sponge is designed as a coarse and sturdy pad for orange peel levelling. Capable of consistently suspending the abrasives between paint and pad to provide even shaving, resulting in a uniformed levelling that's unprecedented compared to conventional pads.



Part No. Size **A-JS-6.5(X2)** 160mm



VELVET PAD

OSREN's Velvet Sponge is designed as a coarse and sturdy pad for orange peel levelling. Made of corduroy which are similar to denim but slightly softer to cater for soft/sticky OEM paint. Levels paint in an uniformed manner that's unprecedented compared to conventional pads.




A-VS-6.5(X2) 160mm
A-M3875 100mm











ROTARY BACKING PLATE (M14)

A backing plate functions as a spine between the machine and polishing pads. It doesn't just fix pads onto the polisher, it greatly affects handling and cutting performance too. Designed with slight flexibility to run through curved panels without compromising its structural integrity and cutting abilities. Comes in various sizes.

Attachment

M14

Part No. & Size

FCC-PU0730 (30mm) YWN-050-DW(M14) (50mm) YWN-075-DW(M14) (75mm) YWN-0125-DW (125mm)

FOAM INTERFACE



Part No. & Size: CH-B04 (160mm) CH-B03 (130mm) CH-B02 (75mm)







HURRICANE 2.0 BACKING PLATE

Tailored explicitly for OSREN Hurricane 2.0, this backing plate is designed with cooling cavities to extend pads' lifespan for a longer period of time. Made from moulded polyurethane, the Hurricane 2.0 backing plate is assured of consistency in quality and performance. 125mm in diameter.

Attachment	Screw On Attachment
Part No. & Size	A-L15T-H205BP (125mm)

HURRICANE **BACKING PLATE**



Part No. & Size: YWN-0125-16K (125mm)

DA BACKING PLATE (M8)

The dual action backing plate fits most generic dual action polisher with M8 female threads. Constructed with durable polyurethane, it is designed to transfer the right and consistent amount of orbital and

spinning movement for polishing jobs. Comes in various sizes and fitted with hook-and-loop fastener to secure pads.

M8 Attachment YWN-050-A (50mm) Part No. & Size YWN-075-C (75mm) YWN-0100-A (100mm) YWN-0125-6K-D(M8) (125mm)











TOOLS & ACCESSORIES Drying towels, buffing towels, DA polishers, worklamps and other detailing stuffs that help you achieve perfection.

OSREN HURRICANE 2.0 DUAL ACTION POLISHER

OSREN Hurricane 2.0 is a Dual Action Polisher designed to be absolutely safe and friendly for all. Its orbital spin of 15mm is capable of producing exceptional results in removing defects, swirls, holograms and marrings. A trusted tool for both professionals and enthusiasts for paint correction.



OSREN VORTEX ROTARY POLISHER

OSREN's Vortex Rotary Polisher offers greater cutting speed and power for paintwork correction. Made with comfortability in mind, OSREN's Vortex is designed to be lighter and with more adaptability in handling.

Powered by a robust motor, Vortex stays true to its delivery in speed even under extreme load. This is to ensure consistency in cutting can be achieved for uniformed result. The variable speed trigger caters users full control in cutting adjustments.





OSREN TEMPEST 2.0 DUAL ACTION POLISHER

An upgraded version mini dual action polisher designed for a safer, more effective and effortless paintwork correction endeavor. Tempest 2.0 is a small yet powerful tool with 8mm orbital throw designed to tackle narrow areas and curvy panels. Comes with 3" backing plate for precision cutting.

 Power
 220-240V / 50/60Hz 380W

 Speed
 3,000 - 7,200 OPM

 Orbit
 8mm

 Part No.
 NJ-DAPL8T





FOG MACHINE

Used for fogging OSREN Bacteria & Odor Exterminator (See page 18 for product information) inside the cabin of your car for a cleaner, healthier driving experience.




Power Supply 240V / 50Hz
Power Consumption 1,200W

Part No. M-NFM-GK003C


















MAGIC CLAY CLOTH

The safest and simplest way to create a smooth-as-glass finish is non other than claying. Cars are frequently exposed to pollutants such as industrial fall outs, dust particles, tar spots and many more. Most of these pollutants are not visible to the eyes but when you run your palm across the paintwork, you will find all these pollutants protruding the surface and has already embedded onto the finish.

A Detailing Clay acts as a substance that "pulls out" these embedded contaminants without harming the clear coat. It is a proven tool to remove embedded contaminants without scouring or polishing the surface.

OSREN Magic Clay Cloth is actually Detailing Clay material affixed onto a microfibre towel giving users a much larger working surface as well as flexibility to contour over convex or concave surfaces easily. The microfibre towel also acts to hold water to lubricate the claying process.

Towel Size	40x40cm
Part No.	T-MC-01







MICROFIBRE TOWEL 40x40

Edgeless buffing towel designed to pick up polish, dust, wax or coating residues on paint. Made with open micro-fibres for maximum efficiency.



Packing Size	1pkt x 3pcs	
Available Colors	Blue, Green & Red	
Part No. & Size	CH-MF-M06 (40x40cm)	

MICROFIBRE DRYING TOWEL 30x60

What's more absorbent than microfibre towels? A stretchable microfibre towel!! OSREN Microfibre Drying Towel 30x60 are stretchable hence able to hold more water making it super water absorbent totally ideal for drying and washing the car!



Packing Size

1 pkt x 3pcs

Available Colors

Brown, Gray & Purple

Part No. & Size

CH-MF-T05 (30x60cm)

MICROFIBRE WINDOW TOWEL 40x40

There's nothing more important than having clean, crystal clear and smudge free windscreens and windows. Conventional cloths are bad at picking up finger print marks, stains and smoke films, they also leave behind lints that will devastate the finish of your windows. OSREN Microfibre Window Towel 40x40 are made of special lint free microfibres that wipes of finger prints, oily stains/films effortlessly and leaves nothing but a clear crystal finish that will never cease to amaze you.



Packing Size 1pkt x 3pcs
Part No. & Size CH-MF-B01 (40x40cm)

MEGA MICROFIBRE DRYING TOWEL

OSREN Mega Microfibre Drying Towels are unexceptional at drying wet panels. Made of stretchable microfibre blend, the drying towels are capable of absorbing more water than conventional microfibres. The unique blend is also remarkably durable, and it can be used repeatedly without losing its fiber integrity. Comes in various sizes for different panels and for ease of usage.



CH-MF-B13 (60x90cm)	Blue
CH-MF-B11 (60x180cm)	Brown Purple Grey
CH-MF-B14 (90x180cm)	Blue

















FOAM LANCE

A thick and frothy foam dispenser designed to plug and play with most pressure washers. Adjustable nozzle and air-and-water mixture render users full control on thickness and spray pattern of foam.

OSREN foam lance is made of brass for maximum durability and increased resistance against harsh usage. Suitable for home and commercial vehicles to promote longer-lasting lubrication on paint to help minimise washing marrings during washes.

CH-FLKIT Part No.



FOAM LANCE ADAPTERS

Adaptors for foam lance that directly attaches to various trigger guns. A simple plug and play attachment that securely connects OSREN's foam lance to various brands and models of pressure washers. Designed with o-ring gasket to ensure perfect seal.



Model:	Part No.:	
KARCHER HD	CH-FLAKAR-HD	
KARCHER K-SERIES	CH-FLAKAR-K	
HITACHI	CH-FLA-HITACHI	
BLACK & DECKER	CH-FLA-B&D	
BOSCH AQT	CH-FLA-AQT	
BOSCH M22	CH-FLA-M22B	
GERNI	CH-FLA-GER	
AVOR	CH-FLA-LAVOR	
QUICK CONNECT	CH-FLA-QRC	
PA STYLE	CH-FLA-PASC	

IK FOAM 1.5 SPRAYER Part No.: A-IKF-15

















43

MISCELLANEOUS

WASH BOARD Part No.: G-GGWB-BLK

















SOFTBACK SANDING SPONGE



Part No.: A-SSS-2600

MASKING TAPE



Part No. & Size: A-MT-6X50 (6mm) A-MT-151240X20 (15mm) A-MT-661X9 (43mm)

DETAILING BLOCK



Part No.: A-DB245

DETAILING STOOL



Part No.: A-DB-001

MULTI-FUNCTION DETAILING BRUSH (SET OF 5)



Part No.: ZZ-XZ-F603

WHEEL BRUSH



Part No.: US-WB (Soft) US-PB(AB) (Hard)

OSREN SPRAY GUN 0.8



Part No.: M-SG-H2000A

CONNECTOR DUO (M14 AND M6)



Part No. & Size: CH-ESM14 (140mm / 100mm / 70mm)

ADAPTORS FOR ROTARY



Part No.: A-A-M1614 (M16/M14) A-BA-1458 (M14 x 5/8) A-BA-1658 (M16 x 5/8) A-DA-M14 (M14)

SUPER STRENGTH INDUSTRIAL HAND GEL





OSREN Super Strength Industrial Hand Gel is OSREN's first developed product that has been sold for two decades and counting. It is formulated to simply remove hi-temperature grease, printing ink and other stubborn stains from your hands while nourishing them with lanolin.

Unlike other cleaning gel, OSREN's Hand Gel contain tons of tiny silicas that scrubs out stains that have inhibit between your nails and groves of your palm. Silicas also scrub away dead skin around the ball of your palm. Not only that, because it's pH Neutral, OSREN Hand Gel will not scorch your hands making it safe on cut wounds also.

OSREN Hand Gel cleans, disinfects, scrubs and moisturizes your hand in one simple application - just scoop a pinch, lather and rinse!







WWW.OSREN.COM

OSREN (MALAYSIA) SDN BHD (590911-A)

OSREN.Egypt | Call Us Now f O1033888831